

MATERIAL SAFETY DATA SHEET (MSDS)

EM Science
M A T E R I A L S A F E T Y D A T A S H E E T

Section I Product Identification and Use

Manufacturer: EM SCIENCE A Division of EM Industries P.O. Box 70 480 Democrat Road Gibbstown, N.J. 08027	For More Information Call 856-423-6300 Technical Service Monday - Friday; 8:00 AM to 5:00 PM In Case of Emergency Call 800-424-9300 CHEMTREC (USA) 416-201-6383 CANUTEC (Canada) 24 Hours/Day: 7 Days/Week
--	--

Product Name: Lead tetra-acetate
Product Code(s): B29050,
Chemical Name/Other Name: Lead tetra-acetate; lead (iv) acetate
Chemical Formula: $(\text{CH}_3\text{COO})_4\text{Pb}$
Chemical Family: Aliphatic hydrocarbons
TDG Shipping Name/UN: Lead acetate UN 1616
TDG Classification/Packing group: 6.1 PG III
Use: Laboratory reagent

Section II Hazardous Ingredients

Chemical name	CAS No.	%
Lead tetra-acetate	546-67-8	100

LEL: 4.0 %

Autoignition Temperature: 426°C

Hazardous Combustion Products: PbO₂, CO_x, CH₃COOH

Explosion data - sensitivity to mechanical impact: No

- **sensitivity to static discharge:** No

Section V Reactivity Data

Conditions of instability: Turns pink in contact with air. Decomposes with water

Incompatibilities: Strong oxidizers, strong acids and strong reducing agents

Conditions of reactivity: Normally stable

Hazardous decomposition products: PbO₂, CH₃

breathing has stopped, trained personnel should begin artificial respiration, or if the heart has stopped, cardiopulmonary resuscitation (CPR) immediately. Seek medical attention.

Ingestion: Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Do not induce vomiting. Have victim drink 200-400 ml of water to dilute. If breathing has stopped, trained personnel should begin artificial respiration, or if the heart has stopped, cardiopulmonary resuscitation (CPR) immediately. Seek medical attention.

Section VIII Preventive Measures

Engineering Controls: Engineering control methods to reduce hazardous exposures are preferred. Methods include mechanical ventilation (dilution and local exhaust), process or personnel enclosure, control of process conditions, and process modification. Administrative controls and personal protective equipment may also be required.

Personal protective equipment:

-**gloves:** Rubber, nitrile, neoprene , PVC

-**respiratory protection:** Dust mask, approved respirator as appropriate

-**eye protection:** Chemical safety goggles

-**clothing:** Plastic apron, sleeves and boots as appropriate

Storage Requirements: Store in suitable labelled containers. Keep containers tightly closed when not in use and when empty. Protect from damage. Store in a cool, dry, well-ventilated area, out of direct sunlight. Store away from incompatible materials. Store away from ignition sources.

Handling Procedures and Equipment: Keep away from materials that can burn. Avoid generating dust. Follow routine safe handling procedures.

Leak or Spill Clean-up: Before dealing with spillages take necessary protective measures, inform others to keep at a safe distance and, for flammable materials, shut off all possible sources of ignition. Transfer carefully into container and arrange removal by disposal company.

Disposal: Follow all federal, provincial and local regulations for disposal. Use only licensed disposal and waste hauling companies. Disposal of small amounts of spilled material may be handled as described under "Leak or Spill Cleanup". Large spills must be dealt with separately and must be handled by qualified disposal companies.

Special Shipping Information: Follow all TDG regulations and see classification in Section I

Section IX Preparation Information

Prepared by: Technical Affairs Department, BDH Inc.,
Toronto, Ontario
(416) 255-8521

For questions contact: Regulatory Affairs Department, EM Science
Gibbstown, NJ
(856) 423-6300

Date: FEB 15, 1989

Revision date: AUG 22, 1989; FEB 11, 1992; NOV 11, 1994; JULY 7, 1997;

SEPT 22, 1997; Sep 28, 2000

WHMIS Classification: B4, D1B, D2B

The statements contained herein are offered for informational purposes only and are based upon technical data that BDH INC believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.