MATERIAL SAFETY DATA SHEET

Date Printed: 05/10/2004 Date Updated: 04/04/2004 Version 1.11

Section 1 - Product and Company Information Product Name HYDROCHLORIC ACID ACS REAGENT Product Number H7020 Brand SIGMA Sigma-Aldrich Company Street Address 3050 Spruce Street SAINT LOUIS MO 63103 US City, State, Zip, Country Technical Phone: 314 771 5765 414 273 3850 Ext. 5996 Emergency Phone: 800 325 5052 Fax: Section 2 - Composition/Information on Ingredient Substance Name SARA 313 CAS # HYDROCHLORIC ACID >=25% 7647-01-0 No Ingredient Name CAS # Percent SARA 313 HYDROCHLORIC ACID 7647-01-0 > 25 WATER 7732-18-5 <= 75 No Formula HC1 Acide chlorhydrique (French) * Acido cloridrico Synonyms (Italian) * Anhydrous hydrochloric acid * Chloorwaterstof (Dutch) * Chlorohydric acid * Chlorowodor (Polish) * Chlorwasserstoff (German) * Hydrochloride * Hydrogen chloride (ACGIH:OSHA) * Muriatic acid * Spirits of salt MW4025000 RTECS Number: Section 3 - Hazards Identification EMERGENCY OVERVIEW Toxic. Toxic by inhalation. Causes burns. Irritating to respiratory system. HMIS RATING HEALTH: 3 FLAMMABILITY: 0 **REACTIVITY:** 2 NFPA RATING HEALTH: 3 FLAMMABILITY: 0 **REACTIVITY:** 2 For additional information on toxicity, please refer to Section 11. Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician. INHALATION EXPOSURE If inhaled, remove to fresh air. If breathing becomes difficult, call a physician. DERMAL EXPOSURE In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician. EYE EXPOSURE In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician. Section 5 - Fire Fighting Measures FLASH POINT N/A AUTOIGNITION TEMP N/A FLAMMABILITY N/A EXTINGUISHING MEDIA Suitable: Carbon dioxide, dry chemical powder, or appropriate foam. Unsuitable: Do not use water. FIREFIGHTING Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions. Section 6 - Accidental Release Measures PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. METHODS FOR CLEANING UP Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete. Section 7 - Handling and Storage HANDLING User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing. STORAGE Suitable: Keep tightly closed. Store in a cool dry place. SPECIAL REQUIREMENTS

May develop pressure	. Open carefull	У•	
Section 8 - Exposure Controls / PPE			
ENGINEERING CONTROLS Safety shower and eye bath. Use only in a chemical fume hood.			
PERSONAL PROTECTIVE EQUIPMENT Respiratory: Government approved respirator in nonventilated areas and/or for exposure above the TLV or PEL. Hand: Rubber gloves. Eye: Chemical safety goggles. Other: Faceshield (8-inch minimum).			
GENERAL HYGIENE MEASURE Wash contaminated cl shoes. Wash thorough	othing before r	euse. Discard contaminated	
EXPOSURE LIMITS, RTECS Country Source USA ACGIH USA MSHA Standa USA OSHA. New Zealand OEL Remarks: check ACGIH TL	PEL	co2 PPM co5 PPM (7 MG/M3) CL 5 PPM (7 MG/M3)	
USA NIOSH	Ceiling	CO2 PPM	
EXPOSURE LIMITS Country Source Poland Poland Poland	Type NDS NDSCh NDSP	5 MG/M3	
Section 9 - Physical/Chemical Properties			
Appearance	Physical State Color: Faintly Odor: Pungent		
Property	Value	At Temperature or Pressure	
Molecular Weight pH MP/MP Range Freezing Point Vapor Pressure Vapor Density Saturated Vapor Conc. SG/Density Bulk Density Odor Threshold Volatile% VOC Content Water Content Solvent Content Evaporation Rate Viscosity Surface Tension Partition Coefficient Decomposition Temp. Flash Point Explosion Limits	36.46 AMU N/A -114.2 °C N/A -114.2 °C 166.991 mmHg 1.3 g/1 N/A 1.2 g/cm3 N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	21.1 °C	

Flammability	N/A
Autoignition Temp	N/A
Refractive Index	N/A
Optical Rotation	N/A
Miscellaneous Data	N/A
Solubility	N/A

N/A = not available

Section 10 - Stability and Reactivity

STABILITY
Stable: Stable.
Conditions to Avoid: Do not allow water to enter container because
of violent reaction.
Materials to Avoid: Bases, Amines, Alkali metals Copper, Copper
alloys, Aluminum.

HAZARDOUS DECOMPOSITION PRODUCTS Hazardous Decomposition Products: Hydrogen chloride gas.

HAZARDOUS POLYMERIZATION Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: Causes burns. Skin Absorption: May be harmful if absorbed through the skin. Eye Contact: Causes burns. Inhalation: Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Ingestion: May be harmful if swallowed.

SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

TOXICITY DATA

Oral Man 2.857 mg/kg LDLO Remarks: Vascular:BP lowering not charactertized in autonomic section. Lungs, Thorax, or Respiration:Respiratory depression. Gastrointestinal:Changes in structure or function of esophagus. Oral Woman 420 UL/KG LDLO Remarks: Behavioral:Excitement. Cardiac:Pulse rate. Kidney, Ureter, Bladder:Hematuria.

Inhalation

```
Human
   1,300 ppm
   LCLO
   Inhalation
  Human
   3,000 ppm
  LCLO
   Inhalation
  Rat
   3,124 ppm
  LC50
   Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and
   Taste):Olfaction:Other changes. Sense Organs and Special Senses
   (Nose, Eye, Ear, and Taste): Eye: Iritis.
   Inhalation
  Mouse
   1,108 ppm
   LC50
   Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and
   Taste):Eye:Other. Lungs, Thorax, or Respiration:Respiratory
   stimulation. Skin and Appendages: Skin: After systemic exposure:
  Dermatitis, other
  Intraperitoneal
  Mouse
   40142 UG/KG
  LD50
  Oral
  Rabbit
  900 mg/kg
  LD50
IRRITATION DATA
  Eyes
  Rabbit
   5 mg
   30S
   Remarks: Rinsed
IARC CARCINOGEN LIST
  Rating: Group 3
CHRONIC EXPOSURE - TERATOGEN
   Species: Rat
   Dose: 450 MG/M3/1H
   Route of Application: Inhalation
  Exposure Time: (1D PRE)
  Result: Effects on Embryo or Fetus: Fetotoxicity (except death,
   e.q., stunted fetus). Specific Developmental Abnormalities:
  Homeostasis
CHRONIC EXPOSURE - MUTAGEN
   Species: Hamster
  Dose: 30 MMOL/L
```

Cell Type: lung Mutation test: Cytogenetic analysis Species: Hamster Dose: 8 MMOL/L Cell Type: ovary Mutation test: Cytogenetic analysis Section 12 - Ecological Information Section 13 - Disposal Considerations APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations. Section 14 - Transport Information DOT Proper Shipping Name: Hydrochloric acid UN#: 1789 Class: 8 Packing Group: Packing Group II Hazard Label: Corrosive PTH: Not PTH IATA Proper Shipping Name: Hydrochloric acid IATA UN Number: 1789 Hazard Class: 8 Packing Group: II Section 15 - Regulatory Information EU DIRECTIVES CLASSIFICATION Symbol of Danger: C Indication of Danger: Corrosive. R: 34 37 Risk Statements: Causes burns. Irritating to respiratory system. S: 26 36/37/39 45 Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). US CLASSIFICATION AND LABEL TEXT Indication of Danger: Toxic. Risk Statements: Toxic by inhalation. Causes burns. Irritating to respiratory system. Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). UNITED STATES REGULATORY INFORMATION SARA LISTED: No TSCA INVENTORY ITEM: Yes CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR. DSL: Yes NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.