```
Valid 11/2002 - 01/2003
```

Fluka Chemie AG Postfach 260 CH-9471 Buchs Switzerland

Tel: 081 755 25 11 Fax. 081 756 54 49

PREVENT CONTACT WITH SKIN AND EYES.

Night: 071 228 3600

MATERIAL SAFETY DATA SHEET

SECTION 1. - - - - - - CHEMICAL IDENTIFICATION- - - - - - -CATALOG #: 60140 NAME: POTASSIUM CHROMATE, ACS SECTION 2. - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -CAS #: 7789-00-6 MF: CRK2O4 EC NO: 232-140-5 SYNONYMS BIPOTASSIUM CHROMATE * CHROMATE OF POTASS * DIPOTASSIUM CHROMATE * DIPOTASSIUM MONOCHROMATE * NEUTRAL POTASSIUM CHROMATE * POTASSIUM CHROMATE(VI) * TARAPACAITE * SECTION 3. - - - - - - - HAZARDS IDENTIFICATION - - - -LABEL PRECAUTIONARY STATEMENTS OXIDIZING TOXIC DANGEROUS FOR THE ENVIRONMENT CONTACT WITH COMBUSTIBLE MATERIAL MAY CAUSE FIRE. MAY CAUSE CANCER. MAY CAUSE HERITABLE GENETIC DAMAGE. TOXIC IF SWALLOWED. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. MAY CAUSE SENSITIZATION BY SKIN CONTACT. VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. TARGET ORGAN(S): LUNGS KIDNEYS KEEP AWAY FROM COMBUSTIBLE MATERIAL. AVOID EXPOSURE - OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE. AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/ SAFETY DATA SHEETS. SECTION 4. - - - - - - - FIRST-AID MEASURES- - -IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN. IF INHALED, REMOVE TO FRESH AIR. IF BREATHING BECOMES DIFFICULT, CALL A PHYSICIAN. IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER. IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN. SECTION 5. - - - - - - - FIRE FIGHTING MEASURES - - - - - - - - -EXTINGUISHING MEDIA WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO

```
UNUSUAL FIRE AND EXPLOSIONS HAZARDS
    EMITS TOXIC FUMES UNDER FIRE CONDITIONS.
    CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.
   MAY ACCELERATE COMBUSTION.
SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- - - - - - -
    WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
   WEAR DISPOSABLE COVERALLS AND DISCARD THEM AFTER USE.
   ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR
   DISPOSAL.
    VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.
   EVACUATE AREA.
SECTION 7. - - - - - - - HANDLING AND STORAGE- - - - - - - - -
   REFER TO SECTION 8.
SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -
   USE ONLY IN A CHEMICAL FUME HOOD.
    SAFETY SHOWER AND EYE BATH.
   WASH CONTAMINATED CLOTHING BEFORE REUSE.
   WASH THOROUGHLY AFTER HANDLING.
   DO NOT BREATHE VAPOR.
   DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
   AVOID PROLONGED OR REPEATED EXPOSURE.
   NIOSH/MSHA-APPROVED RESPIRATOR IN NONVENTILATED AREAS AND/OR FOR
   EXPOSURE ABOVE THE ACGIH TLV.
   COMPATIBLE CHEMICAL-RESISTANT GLOVES.
    CHEMICAL SAFETY GOGGLES.
   KEEP TIGHTLY CLOSED.
   STORE IN A COOL DRY PLACE.
SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - -
 APPEARANCE AND ODOR
   SOLID.
 PHYSICAL PROPERTIES
                      971 C
   MELTING POINT:
   SPECIFIC GRAVITY:
                        2.732
   VAPOR DENSITY: 6.7 G/L
SECTION 10. - - - - - - - - STABILITY AND REACTIVITY - - - -
 STABILITY
   STABLE.
 INCOMPATIBILITIES
   REDUCING AGENTS
 HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS
   POTASSIUM OXIDES
   CHROMIUM (VI) OXIDE
 HAZARDOUS POLYMERIZATION
   WILL NOT OCCUR.
SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - -
 ACUTE EFFECTS
   MAY CAUSE SKIN IRRITATION.
   MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.
   MAY CAUSE EYE IRRITATION.
   MATERIAL MAY BE IRRITATING TO MUCOUS MEMBRANES AND UPPER
   RESPIRATORY TRACT.
   MAY BE HARMFUL IF INHALED.
   MAY BE HARMFUL IF SWALLOWED.
   MAY CAUSE ALLERGIC SKIN REACTION.
   TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND
    TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
 CHRONIC EFFECTS
    TARGET ORGAN(S):
   LUNGS
   KIDNEYS
   LIVER
   BLOOD
   EYES, SKIN
   THIS IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE
```

```
CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP OR EPA CLASSIFICATION.
   MAY ALTER GENETIC MATERIAL.
 RTECS #: GB2940000
   CHROMIC ACID (H2CRO4), DIPOTASSIUM SALT
 TOXICITY DATA
   ORL-MUS LD50:180 MG/KG
                                                 MUREAV 223,403,1989
    IPR-MUS LD50:32 MG/KG
                                                 MUREAV 223,403,1989
   IMS-RBT LD50:11 MG/KG
                                                 JPETAB 87,119,1946
 TARGET ORGAN DATA
   BEHAVIORAL (FOOD INTAKE)
   BEHAVIORAL (MUSCLE WEAKNESS)
   BEHAVIORAL (COMA)
   LUNGS, THORAX OR RESPIRATION (BRONCHOGENIC CARCINOMA)
   GASTROINTESTINAL (NAUSEA OR VOMITING)
   BLOOD (LEUKEMIA)
   EFFECTS ON FERTILITY (OTHER MEASURES OF FERTILITY)
   EFFECTS ON EMBRYO OR FETUS (CYTOLOGICAL CHANGES)
   NUTRITIONAL AND GROSS METABOLIC (WEIGHT LOSS OR DECREASED WEIGHT GAIN)
   TUMORIGENIC (EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA)
   ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
    (RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
   COMPLETE INFORMATION.
SECTION 12. - - - - - - ECOLOGICAL INFORMATION - - - - - - -
   DATA NOT YET AVAILABLE.
SECTION 13. - - - - - - DISPOSAL CONSIDERATIONS - - - - - -
    CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF
   THIS MATERIAL.
   OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.
SECTION 14. - - - - - - TRANSPORT INFORMATION - - - - - - -
   CONTACT FLUKA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.
SECTION 15. - - - - - - REGULATORY INFORMATION - - - - - - - -
 EUROPEAN INFORMATION
   EC INDEX NO: 024-006-00-8
   OXIDIZING
   TOXIC
   DANGEROUS FOR THE ENVIRONMENT
   MAY CAUSE CANCER BY INHALATION.
   R 46
   MAY CAUSE HERITABLE GENETIC DAMAGE.
   R 36/37/38
   IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
   MAY CAUSE SENSITIZATION BY SKIN CONTACT.
   VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE
   EFFECTS IN THE AQUATIC ENVIRONMENT.
    IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
    IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
    S 60
   THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS
   HAZARDOUS WASTE.
   AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/
    SAFETY DATA SHEETS.
 REVIEWS, STANDARDS, AND REGULATIONS
   OEL=MAK
    ACGIH TLV-TWA 0.05 MG(CR)/M3
                                                 DTLVS* TLV/BEI,1999
   ACGIH TLV-CONFIRMED HUMAN CARCINOGEN
                                                DTLVS* TLV/BEI,1999
   IARC CANCER REVIEW: HUMAN SUFFICIENT EVIDENCE IMEMDT 49,49,1990
    IARC CANCER REVIEW: HUMAN INADEQUATE EVIDENCE IMEMDT 23,205,1980
    IARC CANCER REVIEW: ANIMAL INADEOUATE EVIDENCE IMEMDT 23,205,1980
    IARC CANCER REVIEW: GROUP 1
                                                IMEMDT 49,49,1990
   MSHA STANDARD-AIR: TWA 0.5 MG(CR)/M3
```